NAME:

SECTION A: Selected Response: Place the LETTER of your response in the _____ at the right. [17 points]

- 1. The function y = f(x) is stretched vertically by a factor of 3 and is translated 4 units to 1._____ the left. What is the equation of the transformed function?
 - A 3y = f(x 4)C $\frac{1}{3}y = f(x - 4)$ D $\frac{1}{3}y = f(x + 4)$
- 2. The graph of y = f(x) contains P(-2, 6). What are the coordinates of the image of this 2._____ point on the function $y - 1 = -\frac{1}{3}f(2(x - 1))$?
 - A(-3, -1)B(0, -1)C(-3, -17)D(0, -17)
- 3. The mapping rule $(x, y) \rightarrow (2x 1, y + 3)$ is applied to the function y = f(x). What is 3._____ the equation of the resulting function?
 - A y = f(2(x+1)) 3C $y = f(\frac{1}{2}(x+1)) + 3$ B y = f(2(x-1)) + 3D $y = f(\frac{1}{2}(x-1)) - 3$

4. The point (a, b) is on the graph of the function y = f(x). What are the coordinates of 4. the image of this point on the graph of y + b = f(x + 1)?

- A (a + 1, 2b)B (a 1, 2b)C (a + 1, 0)D (a 1, 0)
- 5. The function y = f(x) is transformed to produce $y = \frac{1}{3}f(-x)$. Which describes the transformations that are required?
 - A reflection in the y-axis and a vertical stretch by a factor of 3.
 - \mathbf{B} A reflection in the x-axis and a vertical stretch by a factor of 3.
 - C A reflection in the y-axis and a vertical stretch by a factor of $\frac{1}{3}$
 - D A reflection in the x-axis and a vertical stretch by a factor of $\frac{1}{2}$

6. Which mapping rule would map the function y = f(x) onto the function $y = f(-\frac{1}{3}x + 3)$?

A $(x,y) \rightarrow (-3x+9,y)$ B $(x,y) \rightarrow (-3x+1,y)$ C $(x,y) \rightarrow \left(-\frac{1}{3}x+9,y\right)$ D $(x,y) \rightarrow \left(-\frac{1}{3}x+1,y\right)$

7. Which would produce a graph with the same x-intercepts as the graph of y = f(x)?

A $\frac{1}{2}y = f(x)$ C y = f(-x)B y = f(x) + 1D y = f(x + 1) 38

5.___

6.

7._____

	y = f(2(x+1))?		
	A $\{x/-11 \le x \le 25, x \in \mathbb{R}\}$ C $\{x/-13 \le x \le 23, x \in \mathbb{R}\}$	B $\{x/-2 \le x \le 7, x \in \mathbb{R}\}$ D $\{x/-4 \le x \le 5, x \in \mathbb{R}\}$	
9.	The function $y = f(x)$ is reflected in the x-axis and is translated 5 units down. What is the equation of the transformed function?		9.
	A $y = -f(x) - 5$ C $y = -f(x) + 5$	B $y = f(-x) - 5$ D $y = f(-x) + 5$	
10.	If $f(x) = x^2 + 4x - 12$, what are the zeroes of the function $y = -f\left(\frac{1}{2}x\right)$?		10.

The domain of y = f(x) is $\{x/-6 \le x \le 12, x \in \mathbb{R}\}$. What is the domain of

 A
 3 and -1
 B
 -3 and 1

 C
 12 and -4
 D
 -12 and 4

- 11. The graph of y = f(x) is shown. Which is an invariant point under the transformation 11._____ -3y = f(x)?
 - A (-3, -2) B (-1, 0)
 - C (0,1)

8.

D (1, 2)

12. The function y = f(x) contains the point P(4, 2). It is transformed by applying the following transformations in the order listed. What is the resulting image of point P?

- Reflection in the x-axis
- Translated 2 units to the left and 3 units up
- Stretched vertically by a factor of 2
- Translated 1 unit right and 1 unit up
- Stretched horizontally by a factor of 3
- A (9,3) B (3,15)
- C (5,6) D (-15,11)

13. Which mapping rule would map y = 2f(x - 1) onto y = f(x + 3)?

- A $(x, y) \rightarrow (x 4, 2y)$ C $(x, y) \rightarrow \left(x - 4, \frac{1}{2}y\right)$ B $(x, y) \rightarrow \left(x + 4, 2y\right)$ D $(x, y) \rightarrow \left(x + 4, \frac{1}{2}y\right)$
- 14. The mapping rule $(x, y) \rightarrow (4x 3, -2y)$ is applied to y = f(x) to produce a function 14._____ of the form y = af(b(x h)) + k. Which values are correct for *a* and *b*?
 - A $a = -\frac{1}{2}$, b = 4B a = -2, $b = \frac{1}{4}$ C a = -2, b = 4D $a = -\frac{1}{2}$, $b = \frac{1}{4}$



12.____

13.

14._____

8.____





15.____

17. What is the inverse of $g(x) = -\frac{2}{3}x - 4$?

A
$$g^{-1}(x) = -\frac{3}{2}x + 4$$

B $g^{-1}(x) = \frac{2}{3}x + 4$
C $g^{-1}(x) = -\frac{3}{2}x - 6$
D $g^{-1}(x) = \frac{3}{2}x + 6$

SECTION B: Constructed Response: Answer ALL questions in the space provided. Full credit will only be awarded for correct solutions.

[1 pt]

- The graph of g(x) is a transformation of f(x). 1.
 - List the transformations required to map (a) [2 pts] f(x) onto g(x).
 - Write the mapping rule. [1 pt] (b)
 - Determine the equation of g(x) in the (c) [1 pt] form y = af(b(x-h)) + k



- 2. The graph of a function y = f(x) is shown below.
 - (a) On the same grid, sketch the graph of the [2 pts] function that results when the mapping rule $(x, y) \rightarrow (-x + 3, 2y - 1)$ is applied to this function.
 - (b) Write the equation of the resulting function in the form y = af(b(x-h)) + k.



$$y = f(x)$$

$$-4 = 0$$

$$4 = 0$$

$$y = f(x)$$

$$-4 = 0$$

$$4 = 0$$

$$4 = 0$$

$$4 = 0$$

$$4 = 0$$

$$4 = 12$$

$$16^{x}$$

$$C'$$

$$D'$$

17._____



4. (a) Algebraically determine the inverse of $f(x) = x^2 - 6x + 1$

(b) Restrict the domain of f(x) so that its inverse is also a function. [1 pt]

[3 pts]

5. The function y = f(x) is transformed to produce a function of the form y = af(b(x - h)) + k. The list of transformations is given below.

- Reflected in the x-axis
- Stretched vertically by a factor of 4
- Stretched horizontally by a factor of $\frac{2}{3}$
- Translated 3 units right and 5 units down.

(a) Write the mapping rule that represents this set of transformations. [2 pts]

(b) Write the function in the form
$$y = af(b(x - h)) + k$$
. [1 pt]